

2026 Amherst Orchid Society Show

Judging Schedule

Feb. 20-22, 2026

Smith Vocational School

Northampton, MA

Revised November 24, 2025
Show working group

Amherst Orchid Society

2026 Ribbon Judging Schedule Instructions

- **Completed registrations must be received no later than 8 PM on Tuesday, February 17, 2026.** Please send your registration to ewmarinelli@comcast.net.
- **Preferred Method: Save the form as a word document and email it to ewmarinelli@comcast.net.** If you do not use Word, please do not send the list in a Google document. Option 1: type the list in the body of an email. Option 2: Text your list to Liz at 413-575-4714. Option 3: Call Liz at 413-575-4714 to dictate your list. Information for each plant should include the genus, species or hybrid name, and the class or classes from the show schedule where the plant will be entered.
- **Set up day is for deletions only.** Any late entries will be registered only at the discretion of the registrars. Enter all the plants that you might end up bringing. If you decide not to bring a plant, just return the tag to the registrars and it will be deleted.
- **All plants (registered or not) may be considered for AOS judging.** If awarded, the exhibitor is responsible for any fees associated with the award. If you do not want a plant considered for AOS judging, please ask us for a "Not for AOS Judging" card.

Registering a Plant:

- Determine if the plant is a species or hybrid. If it is a hybrid, try to find its parentage.
- Determine the plant's genus and look it up in the Index, which will direct you to the classes for that genus. Please read through all the classes for that genus carefully before choosing one. If you are not sure, please contact the registrar.
- When classes are delineated by flower size, please measure the horizontal natural spread, do not guess.
- When classes are delineated by color, the plant should be classified based on its background color. For example, a white flower heavily overlaid with pink is placed under whites. For heavily marked flowers, determine the background color by looking at the back of the flower.
- If possible, include the parentage in the registration to facilitate judging, also include the known cultivar and awards. It is not necessary to label the plants in the display with parentage.
- If a plant has no name or the tag is lost, register it in the plant's genus with "Ign." or "NoID" in place of a species or hybrid name. Then make up a name and put it in quotes, for example: *Oncidium* ign. 'Sun Shower'

EXAMPLES OF REGISTERED PLANTS:

Species: *Paphiopedilum helenae* 'Judy' CCM/AOS. Species names are always lower case.

Registered Hybrid: *Phragmipedium Fritz Schomberg*. Hybrid names are capitalized. If known, include the parents on the form, in this case *Phrag. besseae* x *Phrag. kovachii*.

Unregistered Hybrid: *Cymbidium (insigne x wenshanense)*. The parents are known, but the hybridizer had not registered the hybrid when the tag was created. Register the plant as you see on your plant tag.

Table of Contents

Classification:	Reference Number:	Page(s):
Exhibits	001 – 008	4
Cattleya Alliance	009 – 024	4-5
Paphiopedilum Alliance	025 – 032, 040	6-7
Phragmipedium Alliance	033 – 040	7
Vanda Alliance	041 – 049	8
Phalaenopsis Alliance	050 – 061	8-9
Oncidium Alliance	062 – 071	9-10
Cymbidium Alliance	072 – 078	10-11
Dendrobium Alliance	079 – 094	11-12
Pleurothallid Alliance	095 – 101	12-13
Maxillaria Alliance	102 – 109	13
Misc Genera	110 – 119	14
First Bloom Seedling	120	14
Specimen Plant	121-122	14-15
Artwork	123-127, 129	15
Floral Design	128-129	15
First Time Exhibitor	130	15
Best Of Show	131 - 135	16

Reference #	Classification Description
001	A. Vendor Competition Display of orchid plants in flower, arranged for effect.
002	A. Open Competition Educational exhibits, no space limitations.
003	A. Open Competition ROSETTE AWARD- <i>Best of Show in Class 002 (Educational)</i> <u>FOR JUDGES USE ONLY</u>
004	B. Orchid Societies Display of orchid plants in flower, arranged for effect.
005	B. Orchid Host Society Display of orchid plants in flower, arranged for effect.
006	C. Individual Grower Competition Display of 1-15 orchid plants in flower, arranged for effect.
007	C. Individual Grower Competition Display of 16-25 orchid plants in flower, arranged for effect.
008	C. Individual Grower Competition Display of more than 26 orchid plants in flower, arranged for effect.
009	D. Cattleya Alliance (Laeliinae) Epidendrum, Encyclia, Dinema, Broughtonia & Prosthechea species, hybrids & intergeneric hybrids, <u>excluding</u> Cattleya and Guarianthe
010	D. Cattleya Alliance (Laeliinae) Brassavola & Rhyncholaelia species, their hybrids & intergeneric hybrids other than above but <u>excluding</u> Cattleya and Guarianthe. (example: Bl., RI, but NOT Blc, Rlc)
011	D. Cattleya Alliance (Laeliinae) Laelia & Myrmecophila (formerly Schomburgkia) species, hybrids & intergenerics other than above, including L. anceps, L. autumnalis, Mcp. tibicinis, Mcp. brysiana, but <u>excluding</u> Cattleya and Guarianthe.
012	D. Cattleya Alliance (Laeliinae) Cattleya allied genera - species, hybrids & intergenerics other than above including <i>Leptotes</i> (can be judged on leaf and plant need not to be blooming) etc., but <u>excluding</u> Cattleya and Guarianthe (example: <i>Arpophyllum</i> , <i>Barkeria</i> , <i>Isabelia</i> , <i>Neocogniauxia</i> , <i>Oerstedella</i> , <i>Scaphyglottis</i>)

- 013 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe species, and Cattleya and Guarianthe natural hybrids. Including former Sophronitis and former South American Laelias such as *L. purpurata*
- 014 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe hybrids & intergeneric hybrids other than above –Lavender/Mauve/Pink (example: Blc., Slc., Bc., Iwan., Lc., Pot., etc...).
- 015 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe hybrids & intergeneric hybrids other than above –White sepals & petals, may have yellow markings on lip, no blush White and Semi-alba=white with colored lip (example: Blc., Slc., Bc., Iwan., Lc., Pot., etc...).
- 016 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe hybrids & intergeneric hybrids other than above –Yellow and Green (example: Blc., Slc., Bc., Iwan., Lc., Pot., etc...).
- 017 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe hybrids & intergeneric hybrids other than above –Orange (example: Blc., Slc., Bc., Iwan., Lc., Pot., etc...).
- 018 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe hybrids & intergeneric hybrids other than above –Red/Red shades (example: Blc., Slc., Bc., Iwan., Lc., Pot., etc...).
- 019 **D. Cattleya Alliance (Laeliinae)**
Cattleya and Guarianthe hybrids & intergeneric hybrids other than above – Splash Petals, Sunset Shades, and Other Colors including 'Blue/Coerulea' (example: Blc., Slc., Bc., Iwan., Lc., Pot., etc...).
- 020 **D. Cattleya Alliance (Laeliinae)**
All miniature Cattleya species, hybrids & intergenerics – size under 10" from the top of the container to the top of the plant, including flowers. (Note: should also be entered in another Cattleya class above).
- 021 **D. Cattleya Alliance (Laeliinae)**
Windowsill (only) Allied genera, species and hybrids (Classes 009-020)
- 022 **D. Cattleya Alliance (Laeliinae)**
Under Lights; Allied genera, species and hybrids (Classes 009-020)
- 023 **D. Cattleya Alliance (Laeliinae)**
ROSETTE AWARD- *Best of Show in Classes 009-019 (Large Cattleya)*
FOR JUDGES USE ONLY
- 024 **D. Cattleya Alliance (Laeliinae)**
ROSETTE AWARD- *Best of Show in Class 020 (Miniature Cattleya)*
FOR JUDGES USE ONLY

- 025 **E. Paphiopedilum Alliance (Cypripediae)**
Paphiopedilum species, including Paph. *armeniacum*, *P. appletonianum*, *P. bellatulum*, *P. callosum*, *P. delenatii*, *P. druryi*, , *P. gratixianum*, *P. hirsutissimum*, *P. insigne*, *P. liemianum*, *P. malipoense*, *P. micranthum*, *P. moquetteanum*, *P. sukhakulii*, , *P. tonsum*, *P. venustum*, *P. wardii*. *P. hynaldianum*, *P. lowii*, *P. philippinense*, *P. rothschildianum*, *P. sanderanum*, *P. villosum*

- 026 **E. Paphiopedilum Alliance (Cypripediae)**
Paphiopedilum primary hybrids (crosses where each parent is a species)
Not including multiflorals (see class 029 for multifloral hybrids)

- 027 **E. Paphiopedilum Alliance (Cypripediae)**
Paphiopedilum complex hybrids, where one or both parents is a hybrid.
Bulldog types regardless of color. A bulldog type of Paph has a rounded shape with a larger rounded dorsal and wide petals.



- 028 **E. Paphiopedilum Alliance (Cypripediae)**
Paphiopedilum complex hybrids, where one or both parents is a hybrid.
Maudiae types regardless of color. A maudiae type of Paph has narrow petals, a dorsal sepal that is usually taller than wide and often striped.



- 029 **E. Paphiopedilum Alliance (Cypripediae)**
Multifloral complex and primary Paph hybrids (3 or more open blooms per inflorescence). Including Paph. Toni Semple
- 030 **E. Paphiopedilum Alliance (Cypripediae)**
Paphiopedilum complex hybrids, where one or both parents is a hybrid and do not fit into 027 or 028 by shape
- 031 **E. Paphiopedilum Alliance (Cypripediae)**
Windowsill (only); All Paphiopedilum species and hybrids, (classes 025–030).
- 032 **E. Paphiopedilum Alliance (Cypripediae)**
Under Lights; All Paphiopedilum species and hybrids, (classes 025–030).
- 033 **E. Phragmipedium Alliance (Cypripediae)**
Phragmipedium species.
- 034 **E. Phragmipedium Alliance (Cypripediae)**
Phragmipedium kovachii hybrids, primary or complex, including Phrag. Fritz Schomburg
- 035 **E. Phragmipedium Alliance (Cypripediae)**
Phragmipedium besseae hybrids, primary or complex. Excluding kovachii hybrids.
- 036 **E. Phragmipedium Alliance (Cypripediae)**
Phragmipedium hybrids, primary or complex, other than above.
- 037 **E. Cypripedium Alliance (Cypripediae)**
Allied Cypripediae genera; species, hybrids & intergenerics other than above, including Cypripedium, Mexipedium and Selenipedium.
- 038 **E. Phragmipedium Alliance (Cypripediae)**
Windowsill (only); All Phragmipedium species & hybrids, All allied Cypripediae genera, species, hybrids & intergenerics other than above, (classes 033–037).
- 039 **E. Phragmipedium Alliance (Cypripediae)**
Under Lights; All Phragmipedium species & hybrids, All allied Cypripediae genera, species, hybrids & intergenerics other than above, (classes 033–037).
- 040 **E. Paphiopedilum Alliance (Cypripediae)**
ROSETTE AWARD - Best of Show in Classes 025-037 (Paph/ Phrag)
FOR JUDGES USE ONLY

- 041 **F. Vanda Alliance (Sarcanthinae)**
Aerangis, Angraecum species, hybrids & intergeneric hybrids. Includes Cyrtorchis, Jumellea, Mystacidium, Oeoniella, Plectrelminthus, and Rangaeris.
- 042 **F. Vanda Alliance (Sarcanthinae)**
Aerides, Rhynchostylis, Renanthera & Arachnis species, hybrids & intergeneric hybrids excluding Phalaenopsis.
- 043 **F. Vanda Alliance (Sarcanthinae)**
Vanda species, including Euanthe (Vanda sanderiana), and the former Ascocentrum and Neofinetia.
- 044 **F. Vanda Alliance (Sarcanthinae)**
Vanda hybrids & intergeneric hybrids, excluding Phalaenopsis. Includes any hybrid with one or more Vanda parent, including Aranda, Ascocenda, Papilionanda, Vandachostylis. Flower size LESS than 2 inches.
- 045 **F. Vanda Alliance (Sarcanthinae)**
Vanda hybrids & intergeneric hybrids, excluding Phalaenopsis. Includes any hybrid with one or more Vanda parent, including Aranda, Ascocenda, Papilionanda, Vandachostylis. Flower size GREATER than 2 inches.
- 046 **F. Vanda Alliance (Sarcanthinae)**
Allied Vandaceous genera; species, hybrids & intergeneric hybrids including Amesella, Eurychone, Gastrochilus, Paraphalaenopsis, Podangis, Polyrhiza, Pomatocalpa, Robiquetia, Saccolabium, Sarcanthus, Sarchochilus, Schoenorchis, Trichoglottis, Tuberculabium; excluding Phalaenopsis, other than above.
- 047 **F. Vanda Alliance (Sarcanthinae)**
Windowsill (only); All Vanda alliance species, hybrids & intergeneric hybrids (classes 041-046).
- 048 **F. Vanda Alliance (Sarcanthinae)**
Under Lights; All Vanda alliance species, hybrids & intergeneric hybrids (classes 041-046).
- 049 **F. Vanda Alliance (Sarcanthinae)**
ROSETTE AWARD- *Best of Show in Classes 041-046 (Vanda)*
FOR JUDGES USE ONLY
- 050 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis species
- 051 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis hybrids with no markings on petals or sepals, all colors.
Flower size LESS than 2.5 inches across

- 052 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis hybrids with no markings on petals or sepals, all colors. Flower size GREATER than 2.5 inches across
- 053 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis hybrids with spots and/or stripes and/or bars & harlequin patterns, all colors. Flower size LESS than 2.5 inches across
- 054 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis hybrids with spots and/or stripes and/or bars & harlequin patterns, all colors. Flower size GREATER than 2.5 inches across
- 055 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis hybrids, Peloric and Big Lip, all markings and colors. Flower size LESS than 2.5 inches across
- 056 **F. Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis hybrids, Peloric and Big Lip, all markings and colors. Flower size GREATER than 2.5 inches
- 057 **F. Vanda & Phalaenopsis Alliance (Sarcanthinae)**
Phalaenopsis intergeneric hybrids other than above (including Devereuxara – Dvra. and Rhynchonopsis-Rhmps.).
- 058 **F. Phalaenopsis Alliance (Sarcanthinae)**
Windowsill (only); Phalaenopsis species, hybrids and intergeneric hybrids. (Classes 050-057)
- 059 **F. Phalaenopsis Alliance (Sarcanthinae)**
Under lights; Phalaenopsis species, hybrids and intergeneric hybrids. (Classes 050-057)
- 060 **F. Phalaenopsis Alliance (Sarcanthinae)**
ROSETTE AWARD- Best of Show in Classes 050-057 (STANDARD PHAL) Over 10" from top of container to top of plant, including flowers. **FOR JUDGES USE ONLY**
- 061 **F. Phalaenopsis Alliance (Sarcanthinae)**
ROSETTE AWARD- Best of Show in Classes 050-057 (SMALL PHAL) Under 10" from top of container to top of plant, including flowers. – **FOR JUDGES USE ONLY**
- 062 **G. Oncidium Alliance (Oncidinae)**
Brassia species, hybrids & intergeneric hybrids (all hybrids with Brassia in them, including Ada, Beallara & Degarmoara).
- 063 **G. Oncidium Alliance (Oncidinae)**
Miltonia and Miltoniopsis species and hybrids (except with Brassia)

- 064 **G. Oncidium Alliance (Oncidinae)**
Miltonia and Miltoniopsis intergeneric hybrids other than above including Miltonidium, Odontonia, Oncostelopsis, Burrageara, and Oncidopsis.
- 065 **G. Oncidium Alliance (Oncidinae)**
Oncidium species and hybrids, except Equitants, including *Onc. ampliatum*, *Onc. cheirophorum*, *Onc. crispum*, *Onc. fimbriatum*, *Onc. forbesii*, *Onc. gardneri*, *Onc. maculatum*, *Onc. ornithorhyncum*, *Onc. sphacelatum*. Also includes former Odontoglossum and Cochlioda, and complex hybrids such as Wilsonara, Vuylstekeara & Colmanara
Flowers GREATER than 2 inches across
- 066 **G. Oncidium Alliance (Oncidinae)**
Oncidium species and hybrids, except Equitants, including *Onc. ampliatum*, *Onc. cheirophorum*, *Onc. crispum*, *Onc. fimbriatum*, *Onc. forbesii*, *Onc. gardneri*, *Onc. maculatum*, *Onc. ornithorhyncum*, *Onc. sphacelatum*. Also includes former Odontoglossum and Cochlioda, and complex hybrids such as Wilsonara, Vuylstekeara & Colmanara
Flowers LESS than 2 inches across
- 067 **G. Oncidium Alliance (Oncidinae)**
Equitant Oncidium - Tolumnia species & hybrids, including *Tolumnia guianensis*, *Tolumnia henekenii*, *Tolumnia pulchella*, *Tolumnia triquetra*, *Tolumnia variegata*.
- 068 **G. Oncidium Alliance (Oncidinae)**
Allied Oncidium genera; species & hybrids including *Centroglossa*, *Cuitlauzina*, *Gomesa*, *Lockhartia*, *Ionopsis*, *Notylia*, *Osmoglossum*, *Rodriguezia*, *Rossioglossum*, *Rhynchostele*, *Comparettia*, *Psychopsis*, *Trichocentrum* and *Trichophila*.
- 069 **G. Oncidium Alliance (Oncidinae)**
Windowsill (only); All Oncidium alliance species & hybrids, in classes 062-068.
- 070 **G. Oncidium Alliance (Oncidinae)**
Under lights; All Oncidium alliance species & hybrids, in classes 062-068.
- 071 **G. Oncidium Alliance (Oncidinae)**
ROSETTE AWARD- *Best of Show in Classes 062-068*
FOR JUDGES USE ONLY
- 072 **H. Cymbidium Alliance (Cymbidiinae)**
Cymbidium species.
- 073 **H. Cymbidium Alliance (Cymbidiinae)**
Cymbidium hybrids, flowers LESS than 3 inches across

- 074 **H. Cymbidium Alliance (Cymbidiinae)**
Cymbidium hybrids, flowers GREATER than 3 inches across
- 075 **H. Cymbidium Alliance (Cymbidiinae)**
Allied Cymbidium genera; species, hybrids & intergeneric hybrids other than above including *Ansellia*, *Cymbidiella*, *Eulophia*, *Grammangis*, *Grammatophyllum*.
- 076 **H. Cymbidium Alliance (Cymbidiinae)**
Windowsill (only); All Cymbidium alliance, species and hybrids.
- 077 **H. Cymbidium Alliance (Cymbidiinae)**
Under lights; All Cymbidium alliance, species and hybrids
- 078 **H. Cymbidium Alliance (Cymbidiinae)**
ROSETTE AWARD- Best of Show in Classes 072-075
FOR JUDGES USE ONLY
- 079 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium species – Nobile types (deciduous) including *Den. moniliforme*, *Den. nobile*, *Den. unicum*. FLOWERS EMERGE DIRECTLY ALONG THE CANE
- 080 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium species – Phalaenopsis & Antelope types, including *Den. antennatum*, *Den. bigibbum*, *Den. helix*, *Den. stratiotes*. FLOWERS APPEAR ON A SPIKE/INFLORESCENCE.
- 081 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium species – Nirgrohirsute type including *Den. bellatulum*, *Den. dearii*, *Den. formosum*, *Den. infundibulum*, *Den. longicornu*, *Den. sinense*. BLACK HAIRS ALONG THE CANE
- 082 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium species – Latouria type ,including *Den. aberrans*, *Den. atrovioleaceum*, *Den. convolutum*, *Den. johnsoniae*, *Den. rhodostictum*, *Den. spectabile*. FLOWERS CLUSTERED AT THE TOP OF A CANE.
- 083 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium species – Other types including *Den. bracteosum*, *Den. cuthbertsonii*, *Den. dichaeoides*, *Den. gonzalesii*, *Den. hancockii*, *Den. jenkinsii*, *Den. kingianum*, *Den. limpidum*, *Den. lindleyi*, *Den. speciosum*, *Den. thyrsiflorum*, *Den. victoriae-reginae*.
- 084 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium hybrids – Nobile types (deciduous). FLOWERS EMERGE DIRECTLY ALONG THE CANE

- 085 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium hybrids – Phalaenopsis & Antelope type. FLOWERS
APPEAR ON A SPIKE/INFLORESCENCE.
- 086 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium hybrids – Nirgrohirsute type. BLACK HAIRS ALONG THE
CANE
- 087 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium hybrids – Latouria type including Den. Roy Tokunaga, Den,
Micro Chip, Den. Little Norman, etc. FLOWERS CLUSTERED AT THE
TOP OF A CANE.
- 088 **I. Dendrobium Alliance (Dendrobiinae)**
Dendrobium hybrids – Other types.
- 089 **I. Dendrobium Alliance (Dendrobiinae)**
Allied Dendrobium genera; species, hybrids & intergenerics hybrids
other than above, including *Eria*, *Cadetia*, *Diplocaulobium*, *Dockrilla*,
Epigeneium.
- 090 **I. Dendrobium Alliance (Dendrobiinae)**
Windowsill (only) – All Dendrobium alliance species. (Classes 079-083)
- 091 **I. Dendrobium Alliance (Dendrobiinae)**
Under lights – All Dendrobium alliance species. (Classes 079-083)
- 092 **I Dendrobium Alliance (Dendrobiinae)**
Windowsill (only)– All Dendrobium alliance hybrids
& intergenerics. (Classes 084-089)
- 093 **I Dendrobium Alliance (Dendrobiinae)**
Under lights – All Dendrobium alliance hybrids
& intergenerics. (Classes 084-089)
- 094 **I. Dendrobium Alliance (Dendrobiinae)**
ROSETTE AWARD- Best of Show in Classes 079-089
FOR JUDGES USE ONLY
- 095 **J. Pleurothallid Alliance (Pleurothallidinae)**
Masdevallia species and Dracula species.
- 096 **J. Pleurothallid Alliance (Pleurothallidinae)**
Masdevallia and Dracula hybrids & intergeneric hybrids.
- 097 **J. Pleurothallid Alliance (Pleurothallidinae)**
ROSETTE AWARD- Best of Show in Classes 095-096
FOR JUDGES USE ONLY- (Masdevallia and Dracula)

- 098 **J. Pleurothallid Alliance (Pleurothallidinae)**
Pleurothallid species & hybrids, and related genera including *Lepanthes*, *Platystele*, *Dryadella*, *Octomeria*, *Restrepia*, and *Stelis*, excluding *Masdevallia* and *Dracula*.
- 099 **J. Pleurothallid Alliance (Pleurothallidinae)**
Windowsill (only)-Pleurothallid species and hybrids & related genera including *Masdevallia*, *Lepanthes*, *Platystele*, and *Restrepia* (Classes 095-096, 098)
- 100 **J. Pleurothallid Alliance (Pleurothallidinae)**
Under lights -Pleurothallid species and hybrids & related genera including *Masdevallia*, *Lepanthes*, *Platystele*, and *Restrepia* (Classes 095-096, 098)
- 101 **J. Pleurothallid Alliance (Pleurothallidinae)**
ROSETTE AWARD- *Best of Show in Class 098- FOR JUDGES USE ONLY*- (Pleurothallids, excluding *Masdevallia* and *Dracula*)
- 102 **K. Maxillaria Alliance**
Lycaste species & related genera including *Anguola*, *Bifrenaria* and *Xylobium*.
- 103 **K. Maxillaria Alliance**
Lycaste hybrids & intergeneric hybrids.
- 104 **K. Maxillaria Alliance**
Maxillaria species, hybrids & intergeneric hybrids including *Mormolyca* & *Scuticaria*.
- 105 **K. Maxillaria Alliance**
Zygopetalum & allied genera; species, hybrids & intergeneric hybrids other than above, including *Promenaea*.
- 106 **K. Maxillaria Alliance**
Pescatoria and allied genera and species including *Bollea*, *Huntleya* and *Kefersteinia*
- 107 **K. Maxillaria Alliance**
Windowsill (only) – All Lycaste, Maxillaria, Zygopetalum species, hybrids & intergeneric hybrids, (classes 102-106).
- 108 **K. Maxillaria Alliance**
Under lights – All Lycaste, Maxillaria, Zygopetalum species, hybrids & intergeneric hybrids, (classes 102-106).
- 109 **K. Maxillaria Alliance**
ROSETTE AWARD- *Best of Show in Classes 102-106*
FOR JUDGES USE ONLY

- 110 **L. Misc. Genera**
Catasetinae Subtribe – *Catasetum*, *Clowesia*, *Cycnoches*, *Mormodes* & allied genera; species, hybrids & intergenerics.
- 111 **L. Misc. Genera**
Coelogyne Tribe – *Coelogyne*, *Pholidota*, *Pleione* and *Thunia*. Includes former *Dendrochilum* species and hybrids
- 112 **L. Misc. Genera**
Stanhopea Tribe – *Stanhopea*, *Acineta*, *Coryanthes*, *Gongora*, *Houlletia* & *Peristeria*.
- 113 **L. Misc. Genera**
Bulbophyllum Tribe – *Bulbophyllum*, *Cirrhopetalum* & *Megaclinium*.
- 114 **L. Misc. Genera**
Calanthe Tribe – *Calanthe*, *Phaius* & *Spathoglottis*.
- 115 **L. Misc. Genera**
Jewel Orchids– Orchids grown for foliage, in flower including *Ludisia* & *Goodyera*.
- 116 **L. Misc. Genera**
All others, not listed above, including *Acanthophippium*, *Ancistrochilus*, *Appendicula*, *Bletia*, *Ceratostylis*, *Chrysoglossum*, *Chysis*, *Cranichis*, *Cyrtopodium*, *Dipteranthus*, *Disa*, *Epipactis*, *Galeandra*, *Habenaria*, *Liparis*, *Mediocalcar*, *Neomoorea*, *Notylia*, *Oberonia*, *Ornithocephalus*, *Polyrrhiza*, *Polystachya*, *Pterostylis*, *Sarcoglottis*, *Sobralia*, *Spiranthes*, *Stenia*, *Stenorrhynchus*, *Telipogon*, *Trichoceros*, *Vanilla* & *Zygostates*.
- 117 **L. Misc. Genera**
Windowsill (only) - All miscellaneous genera, (classes 110-116)
- 118 **L. Misc. Genera**
Under lights - All miscellaneous genera, (classes 110-116)
- 119 **L. Misc. Genera**
ROSETTE AWARD- *Best of Show in Classes 110-116*
FOR JUDGES USE ONLY
- 120 **M. Misc.**
First Bloom Seedlings-for the cross **not** for the grower, from all Flowering classes- **NO** meristems allowed (Used for determining if a NEW cross is worthy of a closer look by the judges)
- 121 **M. Misc.**
Large Specimen plants (from all flowering classes). Plant size greater than 12” from the top of the container to the top of the plant including flowers. (Note: should also be entered in another class).

- 122 **M. Misc.**
Miniature Specimen plants (from all flowering classes). Plant size under 12" from the top of the container to the top of the plant including flowers. (Note: should also be entered in another class).
- 123 **N. Art Exhibits Featuring Orchids- Adult Class- Professionals**
Artistic **Exhibits** including Oil Paintings, Watercolors, Drawings, Photography, Ceramics, Needlepoint and Collectibles. **Not** individual art pieces. Displayed by professional artists.
- 124 **N. Artistic Pieces Featuring or For Orchids- Adult Class - Professionals**
Artistic items including Oil Paintings, Watercolors, Drawings, Photography, Ceramics, Needlepoint and Collectibles. **Individual** art pieces. Displayed by professional artists.
- 125 **N. Art Exhibits Featuring Orchids- Adult Class-Non-Professionals**
Artistic **Exhibits** including Oil Paintings, Watercolors, Drawings, Photography, Ceramics, Needlepoint and Collectibles. **Not** individual art pieces. Displayed by amateur artists.
- 126 **N. Artistic Pieces Featuring or For Orchids- Adult Class- Non-Professionals**
Artistic items including Oil Paintings, Watercolors, Drawings, Photography, Ceramics, Needlepoint and Collectibles. **Individual** art pieces. Displayed by amateur artists.
- 127 **N. Artistic Pieces Featuring Orchids-Young Adults-Under 18 yrs old**
Artistic items including Oil Paintings, Watercolors, Drawings, Photography, Ceramics, Needlepoint and Collectibles. **Can be** individual art pieces.
- 128 **O. Orchids in Design**
Any floral design featuring either single or multiple orchids flowers or flower stems.
- 129 **N., O. Art and Design Featuring Orchids**
ROSETTE AWARD- *Best of Show in Classes 123-128*
FOR JUDGES USE ONLY
- 130 **P. First Time Exhibitor**
First time exhibitor at an Amherst Orchid Society show.
Can be either plants or art. Must be a **FULL** exhibit. Not individual plants.

These Next Classes Are for The Judges Use ONLY:

- 131 **Q. BEST OF SHOW**
BEST OVERALL PLANT IN ALL OF THE CLASSES
- 132 **Q. BEST OF SHOW**
BEST LARGE SPECIMEN IN ALL CLASSES
- 133 **Q. BEST OF SHOW**
BEST SMALL SPECIMEN IN ALL CLASSES
- 134 **Q. BEST OF SHOW**
BEST WINDOWSILL GROWN ORCHID (NO LIGHTS OR
GREENHOUSE) IN CLASSES (021, 031, 038, 047, 058, 069, 076, 090, 092,
099, 107, 117)
- 135 **Q. BEST OF SHOW**
BEST ORCHID GROWN UNDER LIGHTS (NO GREENHOUSE) IN
CLASSES (022, 032, 039, 048, 059, 070, 077, 091, 093, 100, 108, 118)

Index

<i>Acanthephippium</i>	12	<i>Cranichis</i>	12
<i>Acineta</i>	12	<i>Cryptopodium</i>	12
<i>Ada</i>	7	<i>Cuitlauzina</i>	8
<i>Aerangis</i>	6	<i>Cycnoches</i>	12
<i>Aerides</i>	6	<i>Cymbidiella</i>	9
<i>Amesiella</i>	6	Cymbidiinae	8, 9
<i>anceps</i>	2	Cymbidium	1, 8, 9
<i>Ancistrochilus</i>	12	Cypripediae	4, 5
<i>Angraecum</i>	6	<i>Cypripedium</i>	5
<i>Anguola</i>	11	<i>Cyrtorchis</i>	6
<i>Ansellia</i>	9	<i>Degarmoara</i>	7
<i>Antelope</i>	9, 10	Dendrobiinae	9, 10
<i>Appendicula</i>	12	Dendrobium	1, 9, 10
<i>Arachnis</i>	6	<i>Little Norman</i>	10
<i>Aranda</i>	6	<i>Micro Chip</i>	10
<i>Arpophyllum</i>	2	<i>Roy Tokunaga</i>	10
<i>Ascocenda</i>	6	<i>Dendrochilum</i>	12
<i>Ascocentrum</i>	6	<i>Devereuxara</i>	7
<i>autumnalis</i>	2	<i>Dinema</i>	2
<i>Barkeria</i>	2	<i>Diplocaulobium</i>	10
<i>Beallara</i>	7	<i>Dipteranthus</i>	12
<i>Bifrenaria</i>	11	<i>Disa</i>	12
<i>Bletia</i>	12	<i>Dockrilla</i>	10
<i>Bollea</i>	11	<i>Dracula</i>	10, 11
<i>Brassavola</i>	2	<i>Dryadella</i>	11
<i>Brassia</i>	7	<i>Encyclia</i>	2
<i>Broughtonia</i>	2	<i>Epidendrum</i>	2
<i>brysiana</i>	2	<i>Epigeneium</i>	10
<i>Bulbophyllum</i>	12	<i>Epipactis</i>	12
<i>Burrageara</i>	8	<i>Equitant</i>	8
<i>Cadetia</i>	10	<u>Equitants</u>	8
<i>Calanthe</i>	12	<i>Eria</i>	10
<i>Catasetinae</i>	12	<i>Euanthe</i>	6
<i>Catasetum</i>	12	<i>Eulophia</i>	9
Cattleya	1, 2, 3	<i>Eurychone</i>	6
<i>Centroglossa</i>	8	<i>Galeandra</i>	12
<i>Ceratostylis</i>	12	<i>Gastrochilus</i>	6
<i>Chrysoglossum</i>	12	<i>Gomesa</i>	8
<i>Chysis</i>	12	<i>Gongora</i>	12
<i>Cirrhopetalum</i>	12	<i>Goodyera</i>	12
<i>Clowesia</i>	12	<i>Grammangis</i>	9
<i>Cochlioda</i>	8	<i>Grammatophyllum</i>	9
<i>Coelogyne</i>	12	<i>Guarianthe</i>	2, 3
<i>Colmanara</i>	8	<i>Habenaria</i>	12
<i>Comparettia</i>	8	<i>Houlletia</i>	12
<i>Coryanthes</i>	12	<i>Huntleya</i>	11

Ionopsis	8	appletonianum	4
<i>Isabelia</i>	2	Paphiopedilum	1, 4, 5
Jumellea	6	armeniacum	4
Kefersteinia	11	bellatulum	4
Laelia	2	callosum	4
Laelias	3	delenatii	4
Laeliinae	2, 3	druryi	4
Latouria	9, 10	gratrixianum	4
<i>Lepanthes</i>	11	hirsutissimum	4
Leptotes	2	hynaldianum	4
Liparis	12	insigne	4
Lockhartia	8	liemianum	4
<i>Ludisia</i>	12	lowii	4
Lycaste	1, 11	malipoense	4
Masdevalia	11	micranthum	4
Masdevallia	10, 11	moquetteanum	4
Maxillaria	11	philippinense	4
Mediocalcar	12	rothschildianum	4
<i>Megaclinium</i>	12	sanderanum	4
Mexipedium	5	sukhakulii	4
Miltonia	7, 8	tonsum	4
Miltonidium	8	venustum	4
Miltoniopsis	7, 8	villosum	4
<i>Mormodes</i>	12	wardii	4
<i>Mormolyca</i>	11	Papilionanda	6
Myrmecophila	2	Paraphalaenopsis	6
Mystacidium	6	<i>Peristeria</i>	12
<i>Neocogniauxia</i>	2	Pescatoria	11
Neofinetia	6	<i>Phaius</i>	12
Neomoorea	12	Phalaenopsis	1, 6, 7, 9, 10
Nirgrohirsute	9, 10	<i>Pholidota</i>	12
Nobile	9	Phragmipedium	5
Notylia	8, 12	besseae	5
Oberonia	12	Fritz Schomburg	5
<i>Octomeria</i>	11	kovachii	5
Odontoglossum	8	<i>Platystele</i>	11
Odontonia	8	Plectrelminthus	6
Oeoniella	6	<i>Pleione</i>	12
<i>Oerstedella</i>	2	Pleurothallid	1, 10, 11
Oncidinae	7, 8	Pleurothallidinae	10, 11
Oncidium	1, 7, 8	Podangis	6
ampliatum	8	Polyrrhiza	6, 12
cheiophorum	8	Polystachya	12
crispum	8	Pomatocalpa	6
fimbriatum	8	<i>Promenea</i>	11
Oncidopsis	8	Prosthechea	2
Oncostelopsis	8	Psychopsis	8
Ornithocephalus	12	Pterostylis	12
Osmoglossum	8	purpurata	3
<i>Pahiopedilum</i>			

Rangaeris.....	6	Spiranthes.....	12
Renanthera	6	Stanhopea.....	12
<i>Restrepia</i>	11	<i>Stelis</i>	11
Rhyncholaelia.....	2	Stenia.....	12
Rhynchosopsis.....	7	Stenorrhynchus.....	12
Rhynchostele.....	8	Telipogon	12
Rhynchostylis	6	<i>Thunia</i>	12
Robiquetia	6	tibicinis.....	2
Rodriguezia.....	8	Tolumnia	8
Rossioglossum.....	8	Trichocentrum	8
Saccolabium	6	Trichoceros	12
Sarcanthinae	6, 7	Trichoglottis	6
<u>Sarcanthus</u>	6	Trichophilia	8
Sarchochilus	6	Tuberolabium	6
Sarcoglottis	12	Vanda	1, 6, 7
<i>Scaphyglottis</i>	2	sanderiana	6
Schoenorchis.....	6	Vandachostylis	6
Schomburgkia	2	Vanilla	12
Scuticaria	11	Vuylstekeara.....	8
Selenipedium.....	5	Wilsonara	8
Sobralia	12	Xylobium	11
Sophronitis	3	Zygopetalum.....	11
<i>Spathoglottis</i>	12	Zygostates	12